

## PUNJAB LAND RECORDS SOCIETY

Adv No. 62

### EXPRESSION OF INTEREST

Punjab Land Records Society is planning to install Survey Pillars at about 2 km apart all over the State. Recently new concept in pillar design has appeared in the market. PLRS is looking for such new type of pillars, the detail of which can be seen at PLRS Web site [www.plrs.org.in/www.punjabrevenue.nic.in](http://www.plrs.org.in/www.punjabrevenue.nic.in). The interested parties may apply before 7<sup>th</sup> May, 2010.

The requirement is for 3500 to 4000 pillars.

Special Secretary to Govt., Punjab,  
Revenue Department, IIIrd Floor,  
Punjab Civil Sectt., Chandigarh.  
0172-2704973

## DETAILS OF ADVERTISEMENT NO. 62

### EXPRESSION OF INTEREST

The Punjab Land Records Society, under Government of Punjab has planned to complete the resurvey of land holdings of the State in a time bound manner using DGPS, total stations and Aerial photogrammetry. Currently the Punjab Land Records Society is engaged in conversion of old graphical records into digital records. It is proposed to provide ground control points in a network having leg ranging from one km to 2 km distance using Dual Frequency Global Positioning System. A permanent marker has been planned to be put on each and every above ground control points.

Till date, Cadastral authorities all over the country have been planting stones or concrete pillars wherever required. But now since in the market new type of pillars/markers have appeared. Therefore, proposal is invited from the manufacturers/distributors of market/markers to demonstrate their product in the office of Special Secretary Revenue, IIIrd Floor, Punjab Civil Secretariat, Chandigarh, on 7<sup>th</sup> May, 2010 at 11.00 hours contact No. 0172-2704073. Only those vendors who have shown their product and whose product have been found desirable shall be allowed to participate in the negotiation.

The pillar should have the following characteristics

It should be light in weight.

It should be easy to install.

Material used should be fire resistant.

It should stand for at least 50 years, if metal is proposed, it should be rust proof as well as should be difficult to uproot.

Should have provision of engraving/punching the name of organization.

Pillars/markers for sandy/swampy soil.

Approximate requirement of these markers would be between 3500 to 4000.

.....